Approved For Release 2003/98/19 : GARDE 78B04560A002100010011-3

Copy 107



NPIC/R-69/64 February 1964

PHOTOGRAPHIC INTERPRETATION REPORT

DECLASS REVIEW BY NIMA / DoD


EARTH SATELLITE TRACKING AND COMMUNICATION CENTER SIMFEROPOL, USSR





25

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



*TOP SECRET*Approved For Release 2003/08/19 : CIA-RDP78B04560A002100010011-3

GROUP 1 Excluded from automatic downgroding and declassification PHOTOGRAPHIC INTERPRETATION REPORT

EARTH SATELLITE TRACKING AND COMMUNICATION CENTER SIMFEROPOL, USSR

NPIC/R-69/64 February 1964

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

TOP SECRET Approved For Release 2003/08/19 : CIA-RDP78B04560A002100010011-3

NPIC/R-69/64

PREFACE

This report, prepared in response to NSA and CIA requirements, describes both the Earth Satellite Tracking and Communications Center at Simferopol and various FLIM FLAM stations deployed across the Soviet Union.

The principal source of photographic material on the Simferopol location is supplemented by ground photography of The FLIM FLAM sites were studied only on photography. However, coverage was reviewed, for comparative purposes, if it was available.

No attempt has been made to determine the radiation or reception frequencies of the various antenna arrays at the center, the small scale of the photography and the low resolution of the ground photography precluding such a detailed investigation. Also, the configuration of the antennas or "dishes" used by the various FLIM FLAM stations cannot be resolved on the basis of presently available photography.

25X1

4

25X1D

25X1D

25X1

25X1

25X1

- iii -

SUMMARY AND CONCLUSIONS

The Earth Satellite Tracking and Communication Center at Simferopol is probably the most important station in the USSR for tracking nearspace orbiting objects.

The center is the location of the Crimean FLIM FLAM station. Transmitting rhombic antennas oriented toward Moscow provide the communication link for this tracking activity.

25X1A

25X1A

25X1A




FIGURE 1. LOCATION OF SIMFEROPOL EARTH SATELLITE TRACKING AND COMMUNICATION CENTER.

Approved For Release 2003 08/19 : CIA-RDP78B04560A002100011-3

25X1

NPIC/R-69/64

25X1A

The role of the radio telescope is not completely understood

25X1A 25X1A

25X1B

25 25 31

25X26X1 25X1D

25X1D

SIMFEROPOL EARTH SATELLITE TRACKING AND COMMUNICATION CENTER

The Earth Satellite Tracking and Communication Center is 11 nautical miles (nm) northwest of Simferopol at 45-03N 33-53E (Figure 1). Although the center was not identified






FIGURE 2. SIMPEROPOL EARTH SATELLITE TRACKING AND COMMUNICATION CENTER,

25X1D

- 2 -

25X1

Approved For Release 2003/08/19 : CIA-RDP78B04560A002100010011-3

NPIC/R-69/64

at present there are approximately 60. Other areas were obscured by clouds in the coverage.

This is probably the principal earth satellite tracking and communication center in the USSR. The diversity of antenna design and probable function, together with the magnitude of support

25X1B
25X1B

The Simferopol center consists of numerous space and terrestrial communication facilities. including (Figures 2 and 3): a radio astronomy station; an earth satellite tracking station described in this report as a FLIM FLAM station associated with the FLIM FLAM system; a probable satellite telemetry collection or "dump" site; terrestrial transmitting and receiving stations; a probable DRUM HEAD troposcatter antenna; a microwave tower; a steerable yagi antenna array; and an interferometer under construction. Two calibration towers are situated on a hill about 2,400 feet south of the center. Several of the above-mentioned items have been identified only on the ground photography of but their locations have been established through photography.

25X1D 25X1




FIGURE 3. SIMFEROPOL EARTH SATELLITE TRACKING AND COMMUNICATION CENTER.

25X1D

25X1D

25X1D

25X1D

25X1D

FIGURE 4. RADIO ASTRONOMY AND FLIM FLAM STATIONS AT SIMFEROPOL CENTER,

RADIO ASTRONOMY STATION

The radio astronomy station is in the southwest part of the center (Figure 3, item A). In addition to a steerable radio telescope, in diameter, the station contains a large U-shaped multistory building approximately 165 by 125 feet with each wing 45 feet wide, a 95- by 40-foot building, a building approximately 110 by 25 feet, and four smaller strucures.

The large "dish" is mounted on a pedestallike structure, and bulkiness visible on the ground photography (Figure 4) indicates probable trusswork support. With the "dish" in a horizontal position, the lip is approximately 65 feet above the ground. The "feed," supported by a tripod or four-legged arrangement, is about

above the lip of the "dish." The depth of the "dish" is approximately General

construction of the "dish" resembles the 22-meter radio telescope at Serpukhov (Figure 5), but the scale of the photography precludes precise determination of any "feed" differences or whether or not the reflector surface is solid.

The support pedestal for the radio telescope appeared to exist in

the 'dish' was apparently complete.

A 125-foot-high calibration tower for the radio telescope is situated approximately 2,400 feet to the south. A cable scar extends from the tower to the 'dish."

The station has a cable line connection with the adjacent terrestrial communication section that contains the microwave, probable troposcatter, and steerable yagi antennas. 25米松1

25X1

25X1D 25X1D

-81

TOP SECRET Approved For Release 2003/08/19 : CIA-RDP78B04560A002100010011-3

NPIC/R-69/64




FIGURE 5. RADIO TELESCOPE AT SERPUKHOV,

25X1D

25X1D

25X1D

25X1D

25X1⁻⁻⁻

PROBABLE SATELLITE TELEMETRY COLLECTION SITE

This separately secured area (Figure 3, item B), situated approximately 3,500 feet east of the administration and housing section of the center, measures 550 by 410 feet. Visual and physical security are provided by an high wall along all of the northern and approximately 370 feet of the eastern side; a probable fence along the remaining perimeter; and guard towers and night-lighting poles located along the inside of both wall and probable fence. The site was evident on coverage of

by road and cable line.

Within the site are at least 4 completed antenna arrays and a large "dish" under construction (Figure 6). Of the 4 completed antenna arrays, 2 are similar in appearance, each consisting of 8 helix antennas arranged in 2 rows of 4. If present, the helix reflectors are wire-mesh type. Minimum dimensions for each of these 2 arrays are approximately 45 by 15 feet overall. The other 2 antenna arrays appear generally similar, but consists of 14 helices mounted in 2 rows of 7 antennas each on a flat or nearly flat, rectangular, solid or punched-hole reflector. These helices are each approximately

in length and approximately in diameter; each array measures overall. The ''dish,'' approximately 90 feet in diameter, was resting on the ground and being assembled, though the mount or gantry had not been constructed, as of

North of the antenna arrays there is a large single-story building approximately 85 by 35 feet. Adjacent to the building is an apron approximately 85 by 85 feet, probably concrete. There are five other buildings within the secured area, the four largest measuring 60 by 30 feet, 40 by 30 feet, and two 30 by 20 feet. Three of these have small adjoining aprons. The fifth building is a small, probable security building adjacent to the gate.

FLIM FLAM STATION

Two identical buildings, each with a probable dish-type antenna mounted on the roof, are situated in the western part of the center just to the north of the radio astronomy station (Figure 2) in many 2.

ure 3, item C).

According to collateral sources,

2/ this is Station 8 of the FLIM FLAM system. Based on the physical layout of the complex, it appears probable that it is north-oriented (Table 1).

25X1D 25X1D

25X1D


25X1D

25X1B

25X1B

Approved For Release 2003/08/19 : CIA-RDP78B04560A00210001011-3

NPIC/R-69/64



Each building is a two-story structure 80 by 55 feet and 20 feet high; taking a line between the antennas as a baseline, they are separated by 390 feet. Ground photography shows there are 10 windows on the north side of each building (Figure 4), and other ground photography indicates the probability of windows on other sides of each building. On the roof of each building is a high pedestal supporting a probable meshlike "dish" antenna, but photographic limitations preclude further identification. A small structure is located midway between the two buildings.

In addition to the two prominent buildings and the small structure between them, several other apparently associated items were noted (Figure 7): a stick-mast antenna about 1,200 feet west of center and in line with the three structures; a 175- by 50-foot building about 680

feet east of center and also in line; a possible low, revetted tower about 1,200 feet east and also in line; and a circular area with a dark center lying north of the station. (A similar pattern is evident at Sary-Shagan, and various individual components have been noted at other FLIM FLAM stations.)

A calibration tower for the FLIM FLAM station stands on a hill approximately 4,100 feet to the south. It is approximately 175 feet high and adjacent to the previously mentioned radio telescope calibration tower. A cable scar extends from the tower to the station.

Probably also associated with FLIM FLAM operations is a new interferometer under construction 3,600 feet west of the station, each diagonal of which is approximately 1,125 feet in length (Figure 3, item D).

25X1D

25X1

400

25X215X1




FIGURE 7. CONCEPT OF FLIM FLAM STATION AT SIMFEROPOL CENTER.

TERRESTRIAL COMMUNICATION FACILITIES

The terrestrial communication facilities consist of two control buildings, HF transmitting rhombic antennas, HF receiving fishbone antennas, a probable DRUM HEAD troposcatter antenna, a steerable yagi antenna array, a tower supporting two microwave antennas, and an external wire line (Figure 3, items E1, E2, and E3, and Figure 8).

The HF transmitting antennas consist of a single, day rhombic and a double, night rhombic, both oriented generally toward Moscow (azimuth of 15 degrees). The HF receiving antennas consist of a fan of fishbone arrays arranged in a 135-degree arc that provides azimuthal coverage from _______ The probable DRUM HEAD troposcatter antenna appears to be oriented generally toward Moscow

25X1D

or Kharkov. The microwave antennas appear to be oriented toward Yevpatoriya. The wire line runs north from the center to the Yevpatoriya-Simferopol road, and is then visible leading off toward Yevpatoriya. The steerable array appears to consist of four or five yagi antennas on a single pedestal mount.

SUPPORT AREA

The center support area consists of an administration and housing section, a probable operational support section, and a utilities section.

The administration and housing section (Figure 3, item F1) contains approximately 42 buildings, most of which appear to be apartment type. The largest measurable buildings include:

1 U-shaped administration building, 200 by

35 feet, with wings 90 by 35 and 70 by 35 feet

- 1 L-shaped building, 150 and 140 by 45
- 8 apartment-type buildings, each 135 by 40 feet
- 6 apartment-type buildings, each 135 by 50 feet
- 2 apartment-type buildings, each 135 by 60
- 5 apartment-type buildings, 125 by 60 feet, 105 by 40 feet, 75 by 50 feet, 70 by 40 feet, and 60 by 45 feet
- 5 miscellaneous housing buildings, two 55 by 40 feet, one 45 by 30 feet, and two 30 by 30 feet.

Because of the small scale of the photography, it is not possible to give a more definite description of the approximately 14 other miscellaneous small structures in the section.

The probable operational support section

(Figure 3, item F2), located adjacent to the FLIM FLAM station, contains 11 buildings, the largest of which include:

- 2 buildings, each 115 by 30 feet
- 2 buildings, each 95 by 40 feet
- 2 buildings, each 95 by 30 feet
- 2 buildings, 250 by 30 feet and 75 by 30 feet.

No attempt has been made to determine the precise function of each structure.

The utilities section (Figure 3, item F3) consists of a probable motor pool, a probable water supply, etc. The probable motor pool contains, in addition to a parking area, two buildings, 85 by 40 feet and 70 by 25 feet. A standpipe, 100 feet high, is situated between the administration building and the housing. 65- by 40-foot building of unidentified function is northwest of the standpipe and adjacent to some undetermined activity. A probable water line leads from a nearby dam to the center.




FIGURE 8. TERRESTRIAL COMMUNICATION FACILITIES AT SIMFEROPOL CENTER,

25X1D

- 8 -

Approved For Release 2003/08/19: CIA-RDP78B04560A002100010011-3 TOP SECRET

25X1

25X1

OTHER EARTH SATELLITE TRACKING FACILITIES (FLIM FLAM) IN THE USSR

| - | |
|-------|--|
| 25X1B | |
| | |
| | |
| | |

Ulan Ude

25X1D

25X1D

A probable candidate for Station 2 was identified at a communications facility 12.5 nm east-northeast of Ulan Ude. Since the quality of photographic resolution on is only fair, a candidate for Station 18 cannot be determined. Poor quality

of earlier coverage precludes a negation date.

Sary-Shagan Antimissile Test Center (SSATC)

At SSATC, a station was identified adjacent to the interferometer at Instrumentation Although two stations, 3 and 9, are reported

The buildings apparent on photography of

Yeniseysk

The FLIM FLAM site is approximately 3 nm east-southeast of Yenisyesk and northwest of a possible interferometer.

25X1A 25X1A

25X1B

25X1D

25X1D

25X1





FIGURE 9. LOCATION OF OTHER FLIM FLAM FACILITIES IN THE USSR.

25X1

- 9 -

₹5X1

NPIC/R-69/64



25X1A

25X1D 25X1D 25X1D 25X1D

25X1D 25X1D

TOP SECRET Approved For Release 2003/08/19 : CIA-RDP78B04560A002100010011-3

NPIC/R-69/64

| | | NPIC/R-09/04 |
|--|--|--|
| == == | | 25X1D |
| 05V4D | | raphy of appear on coverage. |
| 25X1B | | appear on coverage. An additional pair of objects, approximately |
| **** | | 425 feet apart, is situated about 1,000 feet |
| | | southwest of the firm station and 835 feet south |
| , and the second | | of the center of the interferometer. However, |
| 0EV4D | | lack of sufficient evidence precludes identifi- |
| 25X1D | | cation of this activity as another station. |
| - | | Golenki |
| | Khutor | The FLIM FLAM facility is one nm south |
| 25 <u>X</u> 1A | There are three FLIM FLAM stations | of the center of Golenki. Two stations, 10 and |
| 25X1A | in the Khutor | 16, both have |
| 20/(1/(| area. One firm and one probable station have | been identified. The older of the two, oriented |
| | been identified. The firm station (oriented at | at 285 degrees, is probably Station 10 and was |
| | 10 degrees) is 3.6 nm south-southwest of Khutor | visible on photography of |
| 25X1D | and adjacent to an interferometer. Although vis- | L |
| | ible on coverage, it | The newer station, oriented at 350 de- |
| 25X1 | cannot be negated on photography. The probable station, 2.5 nm south of Khutor. | grees, is probably Station 16. It was under |
| | has one building with a probable roof top antenna | construction in |
| | clearly evident and a second building that appears | plete on photography of |
| | bunkered or with its roof at ground level, though | The buildings at probable Station 16, each ap- |
| wagitiri | the probable antenna is visible (oriented at | proximately 100 by 80 feet, are larger than those |
| | zero degrees). This facility, present on photog- | at probable Station 10. |
| | | |
| | INTERFERQUETER | 新发现在特别是一个人的人。 |
| | | TO THE COLD TO A VIEW OF THE PARTY OF THE PA |
| | The state of the s | |
| | YANS ON MOUNDS | 可控制。在任何的第三人称单位 |
| | | |
| | | 等等等, 有一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个 |
| | | PROBABLE |
| | | FLIM FLAM |
| industrial in the control of the con | A DIT SELLE | |
| | | |

FIGURE 11. PROBABLE FLIM FLAM FACILITIES AT TTMTC LAUNCH COMPLEX A.

25X1D

- 11 -

Tyuratam Missile Test Center (TTMTC)

A probable site, previously unlisted, was found at TTMTC Launch Complex A (Figure 11). The buildings appear similar to previously described structures, each being approximately 80 by 60 feet and 20 feet high. The baseline between antennas is 885 feet and the orientation is grees. As of the building to the northwest appeared complete, while the one to the southeast had an opening in the center of the roof

| and no antenna had been erected. Construction | | | | | |
|---|-------------|------------------------|--|--|--|
| began between | ì | | | | |
| | | | | | |
| Adjacent | to the no: | rthwest are two van- | | | |
| mounted proba | able parabo | lic "dishes" which are | | | |
| located on ear | th mounds. | These have the same | | | |
| orientation | | but their baseline is | | | |
| only 870 feet. | They appe | ared between | | | |
| coverage of | | | | | |
| _ | | | | | |

Table 1. Earth Satellite Tracking Facilities (FLIM FLAM) (all measurements approximate but based on best available sources)

| | | | Coordinates | Principal Orientation (degrees) | Baseline (between antennas) (ft) | Photo Coverage | | |
|------------|---------------|-----------------------------------|------------------------------|---------------------------------------|---|-------------------|--|--|
| | Station No | Location | from collateral* | | | | Negation Date | |
| Ulan Ude | 2 | 12.5 nm ENE of city | 51-51-57.6N 07-56-03.48E | 285 | 400 | | No earlier coverag of satisfactory quality | |
| | 18 | 9 | 9 | 9 | 9 | | quanty | |
| SSATC | 3 or 9 | At Instru- mentation Site 1 | 45-52-55.2N 73-37-13.08E | | 500 | | | |
| Yeniseysk | 4/5 | 3.0 nm ESE of | 58-26-28.32N | 295 | 665 | | No earlier coverage of satisfactory | |
| | | town | 92-15-41.04E | 320 | 665 | | quality | |
| Khutor | 6/7/19 | 3.6 nm SSW of town 2.5 nm S | 53-05-03,48N 58-20-52,08E | 10 0 | 390 665 | | negates second station only | |
| Simferopol | 8 | of town 11.5 nm NW of city | 45-03-07.2N 33-53-32.64E | () | 390 | | | |
| Golenki | 10 | 1.0 nm S | 44-00-54,72N | 285 | 500 | | | |
| | 16 | of town | 31-45-39.6E | 350 | 650 | | | |
| TTMTC | ? | At Launch | None | | 885 | | | |
| | | Complex A | Aone | | 870 | | | |

25X1

25X1D

25X1D

25X1D

25X1

47

25X1

25X1D

25X1D

25¥1D

25X1D

25X D

25X1D

25X1D

25X1D

25X1D

Approved For Release 2003/08/19 : CIA-RDP78B04560A002100010011-3

NPIC/R-69/64

REFERENCES

| _ | РНОТОGRAPHY |
|-------------------|-------------|
| | |
| - | |
| _ | |
| | |
| - 25X1D | |
| - | |
| - | |
| • | |
| | |
| - | |
| | |

MAPS AND CHARTS

AMS. Series DESPA-1, Sheet NO 46-5, 1st ed, Nov 62, scale 1:250,000 (TOP SECRET AMS. Series DESPA-1, Sheet NL 43-7, 1st ed, Jun 62, scale 1:250,000 (TOP SECRET AMS. Series DESPA-1, Sheet NM 48-3, 1st ed, Apr 62, scale 1:250,000 (TOP SECRET

| | Approved For Release 2603/08/19 : CIA-RDP78B04560A002100010011-3 | 2 5X1 |
|------------------------|--|------------------------|
| | NPIC/R-69/64 | *** |
| | USATC. Series 200, Sheet 0282-21HL, 3d ed, Jan 63, scale 1:200,000 (SECRET) USATC. Series 200, Sheet 0194-17A, 2d ed, Jun 58, scale 1:200,000 (SECRET) | 海樂司 |
| | USATC. Series 200, Sheet 0250-20HL, 4th ed, Sep 62, scale 1:200,000 (SECRET) AMS. Series N501, Sheet NL 36-8, 2d ed, Jan 59, 1:250,000 (UNCLASSIFIED) | *** |
| | DOCUMENTS 1. NPIC. R-285/63, Deep-Space Probe Tracking and Communication Center, Yevpatoriya, USSR, Nov 63 (TOP SECRET | <i>₽</i> |
| 25X1 25X1A 25X1C | | |
| 25X1 | RELATED DOCUMENTS Navy. SIB 63-9 p G-4, 27 Feb 63 (TOP SECRET | ******* |
| 25X1A 25X1 | DOD. USNA Moscow, USSR, 9 Apr 63), 6 May 63 (SECRET) | 克 爾省 * ***** |
| 25X1 | REQUIREMENTS | · 最等符 |
| | CIA. C-SI3-80,454 NPIC PROJECT | *** |
| | J-269/63 | ·養經j |
| | | *業納 |
| | | ₽ ₩¶ |

**1

鄉灣

李門

#\$P4

Approved For Release 20**1308**/19**5.66475**17978B04560A002100010011-3